


Claims


1. A compound represented by the general formula:



wherein X_1 represents a nitrogen atom or a group represented by the formula $-CR_{10}=$, X_2 represents a nitrogen atom or a group represented by the formula $-CR_{11}=$, and X_1 and X_2 do not represent a nitrogen atom at the same time;


Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula $-NR_Y-$ (wherein R_Y represents a hydrogen atom or a C_{1-6} alkyl group);

R_1 represents an optionally substituted C_{1-6} alkoxy group, an optionally substituted C_{6-10} aryloxy group, a group represented by the formula $-NR_{12a}R_{12b}$, a group represented by the formula:




(wherein Y_{A1} and Y_{A2} each independently represent a group represented by the formula $-A_{10}-A_{11}-A_{12}$ (wherein A_{10} represents a single bond or an optionally

substituted C1-6 alkylene; A₁₁ represents a single bond,
 an oxygen atom, a carbonyl group or a sulfonyl group;
 and A₁₂ represents a hydrogen atom, a C₁₋₆ alkyl group,
 a C₂₋₆ alkenyl group, a C₂₋₆ alkynyl group, a C₃₋₈
 5 cycloalkyl group, a C₆₋₁₀ aryl group, a 5- to 10-
 membered heteroaryl group, a group represented by the
 formula -NR_{A10}R_{A11}, a group represented by the formula -
 OR_{A12} (wherein R_{A10}, R_{A11} and R_{A12} each independently
 represent a hydrogen atom, a C1-6 alkyl group or C₃₋₈
 10 cycloalkyl group) or a group represented by the
 formula:




(wherein e represents 1 or 2; Z represents an oxygen
 atom, a group represented by the formula -CR_{X7}R_{X8}- or a
 15 group represented by the formula -NR_{X9}-; R_{X7}, R_{X8} and R_{X9}
 each independently represent a hydrogen atom, a
 hydroxyl group or a C₁₋₆ alkyl group)); and Y_{A3}
 represents a hydrogen atom or an optionally substituted
 C₁₋₆ alkyl group) or a group represented by the formula:



20 (wherein T1 represents an optionally substituted 5- to
 10- membered aromatic heterocycle which may have X in
 the ring or an optionally substituted 3- to 10-
 membered heterocycle which may have X in the ring);

R₃, R₄, R₅, R₆, R₇, R₈, R₁₀ and R₁₁ each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, a group represented by the formula -CO-R₁₃, a group represented by the formula -NR₁₄-CO-R₁₃, a group represented by the formula -SO₂-R₁₅, a group represented by the formula -NR₁₄-SO₂-R₁₅, or a group represented by the formula -NR_{16a}R_{16b};

R₉ represents a group represented by the formula -NR_{16a}R_{16b} or a group represented by the formula:




(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R_{12a} and R_{12b} each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₃₋₆ alkenyl group, an optionally substituted C₃₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C₁₋₆ alkoxy group;

R₁₃ represents a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted

C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C₁₋₆ alkoxy group, an optionally substituted C₆₋₁₀ aryloxy group, a group represented by the formula -NR_{12a}R_{12b}, or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);


R₂ and R₁₄ each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, or a group represented by the formula -CO-R₁₃;

R₁₅ represents an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally

substituted 3- to 10- membered heterocyclic group;

R_{16a} and R_{16b} each independently represent a hydrogen atom, an optionally substituted C_{1-6} alkyl group, an optionally substituted C_{3-6} alkenyl group, an optionally substituted C_{3-6} alkynyl group, an optionally substituted C_{3-8} cycloalkyl group, an optionally substituted C_{6-10} aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C_{1-6} alkoxy group; and


X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula $-CR_{X1}R_{X2}-$, or a group represented by the formula $-NR_{X3}-$ (wherein R_{X1} , R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula $-A_1-A_2-A_3$ (wherein A_1 and A_2 each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_3 represents a hydrogen atom, a C_{3-8} cycloalkyl group, a group represented by the formula $-NR_{A1}R_{A2}$, or the formula $-OR_{A3}$ (wherein, R_{A1} , R_{A2} and R_{A3} each independently represent a hydrogen atom or a C_{1-6} alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2))),

a salt thereof, or a hydrate of the foregoing.

2. A compound represented by the general formula:



5 wherein X₁, X₂, Y, R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈ and R₉ represent the same definitions as X₁, X₂, Y, R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈ and R₉ in claim 1, respectively, a salt thereof, or a hydrate of the foregoing.

10 3. A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom, a group represented by the formula -NH-, or a group represented by the formula -N(CH₃)-.

15 4. A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom.

20 5. A compound according to any of claims 1 to 4, a salt of the compound, or a hydrate of the foregoing, wherein one of X₁ and X₂ represents a group represented by the formula -CH= and the other represents a nitrogen atom.

6. A compound according to any of claims 1 to 4,


a salt of the compound, or a hydrate of the foregoing,
wherein both X_1 and X_2 represent a group represented by
the formula $-CH=$.

7. A compound according to any of claims 1 to 6,
5 a salt of the compound, or a hydrate of the foregoing,
wherein R_3 , R_4 , R_5 , R_6 and R_8 each represent a hydrogen
atom, and R_7 represents a hydrogen atom, a halogen atom
or an optionally substituted C_{1-6} alkyl group.

8. A compound according to any of claims 1 to 7,
10 a salt of the compound, or a hydrate of the foregoing,
wherein R_9 represents a group represented by the
formula $-NHR_{17}$ (wherein R_{17} represents an optionally
substituted C_{1-6} alkyl group, a C_{3-6} alkynyl group, a C_{3-8}
cycloalkyl group, an optionally substituted C_{6-10} aryl
15 group or an optionally substituted 5- to 10- membered
heteroaryl group).

9. A compound according to any of claims 1 to 7,
a salt of the compound, or a hydrate of the foregoing,
wherein R_9 represents a group represented by the
20 formula $-NR_{18a}R_{18b}$ (wherein R_{18a} and R_{18b} each
independently represent a C_{1-6} alkyl group).

10. A compound according to any of claims 1 to 7,
a salt of the compound, or a hydrate of the foregoing,
wherein R_9 represents a group represented by the
25 formula:



(wherein b_1 represents 1 or 2; X represents the same definition as X in claim 1).

11. A compound according to any of claims 1 to 7,
 5 a salt of the compound, or a hydrate of the foregoing,
 wherein R_9 represents a group represented by the
 formula $-NHR_{19}$ (wherein R_{19} represents a C_{1-6} alkyl group,
 a C_{3-6} alkynyl group, a C_{3-8} cycloalkyl group or a C_{6-10}
 aryl group).


10 12. A compound according to any of claims 1 to
 11, a salt of the compound, or a hydrate of the
 foregoing, wherein R_3 , R_4 , R_5 , R_6 , R_7 and R_8 each
 represent a hydrogen atom.

15 13. A compound according to any of claims 1 to
 12, a salt of the compound, or a hydrate of the
 foregoing, wherein R_2 represents a hydrogen atom.

20 14. A compound according to any of claims 1 to
 13, a salt of the compound, or a hydrate of the
 foregoing, wherein R_9 represents a group represented by
 the formula $-NHR_{20}$ (wherein R_{20} represents a methyl
 group, an ethyl group or a cyclopropyl group).


25 15. A compound according to any of claims 1 to
 13, a salt of the compound, or a hydrate of the
 foregoing, wherein R_9 represents a group represented by
 the formula $-NH(CH_3)$.

16. A compound according to any of claims 1 to 15, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a further optionally substituted group represented by the formula:



(wherein b_2 represents 0, 1 or 2; and X represents the same definition as X in claim 1).


17. A compound according to any of claims 1 to 16, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formula:



(wherein X represents the same definition as X in claim 1).

18. A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents an oxygen atom.


19. A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein R_{x4} represents a hydrogen atom or a group

represented by the formula $-A_4-A_5-A_6$ (wherein A_4 and A_5 each independently represent a single bond, an optionally substituted C_{1-6} alkylene or a carbonyl group; and A_6 represents a hydrogen atom, a C_{3-8} cycloalkyl group or a group represented by the formula $-NR_{A4}R_{A5}$ or the formula $-OR_{A6}$ (wherein R_{A4} , R_{A5} and R_{A6} each independently represent a hydrogen atom or a C_{1-6} alkyl group))).

20. A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein R_{X5} and R_{X6} each independently represent a hydrogen atom or a group represented by the formula $-A_7-A_8-A_9$ (wherein A_7 and A_8 each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_9 represents a hydrogen atom, a C_{3-8} cycloalkyl group, a group represented by the formula $-NR_{A7}R_{A8}$, or the formula $-OR_{A9}$ (wherein R_{A7} , R_{A8} , and R_{A9} each independently represent a hydrogen atom or a C_{1-6} alkyl group), or a group represented by the formula:



(wherein c_1 represents 0, 1 or 2))).


21. A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of R_{X5} and R_{X6} in the formula (VI) represents a hydroxyl group and the other represents a hydrogen atom or a C_{1-6} alkyl group.

22. A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of R_{X5} or R_{X6} in the formula (VI) represents a hydrogen atom and the other represents a group represented by the formula:




(wherein c_2 represents 1 or 2).

23. A compound according to any of claims 1 to 16, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formula:




(wherein R_{X51} and R_{X61} each independently represent a hydrogen atom or a group represented by the formula - $A_{71}-A_{81}-A_{91}$ (wherein A_{71} and A_{81} each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_{91} represents

a hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula -NR_{A71}R_{A81}, or the formula -OR_{A91} (wherein R_{A71}, R_{A81}, and R_{A91} each independently represent a hydrogen atom or a C₁₋₆ alkyl group), or a group represented by the formula:




(wherein c₁₁ represents 0, 1 or 2)).

24. A compound according to any of claims 1 to 15, a salt of the compound, or a hydrate of the foregoing, wherein R₁ represents a group represented by the formula:




(wherein Y_{A1} and Y_{A2} each independently represent a group represented by the formula -A₁₀-A₁₁-A₁₂ (wherein A₁₀ represents a single bond or an optionally substituted C₁₋₆ alkylene group; A₁₁ represents a single bond, an oxygen atom, a carbonyl group, or a sulfonyl group; and A₁₂ represents a hydrogen atom, a C₁₋₆ alkyl group, a C₂₋₆ alkenyl group, a C₂₋₆ alkynyl group, a C₃₋₈ cycloalkyl group, a C₆₋₁₀ aryl group, a 5- to 10-membered heteroaryl group, a group represented by the formula -NR_{A10}R_{A11}, or the formula -OR_{A12} (wherein, R_{A10}, R_{A11} and R_{A12} each independently represent a hydrogen atom, a C₁₋₆ alkyl group or a C₃₋₈ cycloalkyl group), or

a group represented by the formula:




(wherein e represents 1 or 2; and Z represents an oxygen atom or a group represented by the formula -
5 CR_{X7}R_{X8}- or the formula -NR_{X9}- (wherein R_{X7}, R_{X8} and R_{X9} each independently represent a hydrogen atom, a hydroxyl group or a C₁₋₆ alkyl group)); and Y_{A3} represents a hydrogen atom or an optionally substituted C₁₋₆ alkyl group).

10 25. A compound according to claim 24, a salt of the compound, or a hydrate of the foregoing, wherein one of Y_{A1} and Y_{A2} in the formula (VIII) represents a hydrogen atom and the other represents a group represented by the formula -(CH₂)₂-A₁₃-A₁₄ (wherein A₁₃
15 represents a single bond, a carbonyl group or a sulfonyl group; and A₁₄ represents a C₁₋₆ alkyl group, a group represented by the formula -NR_{A13}R_{A14} (wherein R_{A13} and R_{A14} each independently represent a hydrogen atom, a C₁₋₆ alkyl group or a C₃₋₈ cycloalkyl group), or a group
20 represented by the formula:




(wherein e and Z represent the same definitions as e and Z in claim 24, respectively)); and Y_{A3} in the formula (VIII) represents a hydrogen atom.

26. A compound according to any of claims 1 to 15, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formulas:



(each of the foregoing members being optionally substituted with a group selected from Substituent Group Alpha,

wherein Substituent Group Alpha is a group consisting of a halogen atom, a hydroxyl group, a thiol group, a nitro group, a cyano group, a carboxyl group, an amino group, a C_{1-6} alkyl group, a C_{3-8} cycloalkyl group, and a group represented by the formulas:



(wherein R_{N1} and R_{N2} each independently represent a hydrogen atom or a C_{1-6} alkyl group)).


27. A compound according to any of claims 1 to 15, a salt of the compound, or a hydrate of the

Chemical structures of various piperidine derivatives, including substituted piperidines, bis-piperidines, and complex amides, with wavy lines indicating attachment points.


Chemical structures of various substituted piperidines and morpholines:

- 4-azetidinylpiperidine
- 4-pyrrolidinylpiperidine
- 4-morpholinylpiperidine
- 4-(4-hydroxypiperidin-1-yl)piperidine
- 4-(4-methyl-4-hydroxypiperidin-1-yl)piperidine
- 4-(4-piperidin-1-yl)piperidine
- 4-(4-piperidin-1-yl)piperidine (alternative conformation)


443



30. A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein the compound is represented by the general formula:




(wherein R_1 represents a group represented by the formulas:



(each of the foregoing members being optionally substituted with a group selected from Substituent Group Beta,

wherein Substituent Group Beta is a group consisting of a hydroxyl group, a C₁₋₆ alkyl group, a C₃₋₈ cycloalkyl group, and a group represented by the formulas:



(wherein R_{N1} and R_{N2} each independently represent a hydrogen atom or a C₁₋₆ alkyl group)); and R₉ represents a group represented by the formula -NHR₂₀ (wherein R₂₀ represents a methyl group, an ethyl group or a cyclopropyl group)).

31. A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

(1) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyrimidyl)oxy-1H-indolecarboxamide;

(2) 5-(6-(3-(3-diethylaminopropylamino)ureido)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(3) 5-(6-(((4-hydroxypiperidin-1-yl)carbonyl)amino)-pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(4) 5-(6-((4-pyrrolidin-1-yl)piperidin-1-

- yl)carbonylamino)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (5) 5-(2-(3-((1R)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 5 (6) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (7) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 10 (8) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (9) 5-(2-(3-((1S)-1-carbamoylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 15 (10) 5-(2-(3-((1S)-1-carbamoyl-3-methylbutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (11) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 20 (12) 5-(2-(3-cyclopropylcarbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (13) 5-(2-(3-((1S)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 25

- (14) 5-(2-(3-((1R)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 5 (15) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)-1,5-pentanedicarboxylic acid diamide;
- (16) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)succinamide;
- 10 (17) 5-(2-(3-((1S)-1-cyclopropylcarbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (18) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 15 (19) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (20) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 20 (21) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (22) 5-(2-(3-((1S)-1-hydroxymethyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 25

- (23) 5-(2-(3-((1S)-1-hydroxymethyl-2-(morpholin-4-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (24) 5-(2-(3-(2-cyclopropylcarbamoyl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (25) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (26) 5-(2-(3-(3-(4-hydroxy-4-methylpiperidin-1-yl)-3-oxopropyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (27) N1-ethyl-5-(2-((2-ethoxyethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-methyl-5-(2-((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-methyl-5-(2-((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-

indolecarboxamide;

(32) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

5 (33) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(34) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(35) 5-(2-(3-(3-(diethylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

15 (36) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(37) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(38) N1-methyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

20 (39) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(40) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

25 (41) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-

carboxylic acid methylamide;

(42) N1-methyl-5-(2-((4-(1-hydroxy-1-methylethyl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

5 (43) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(44) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

10 (45) 5-(2-((4-((pyrrolidin-1-yl)carbonyl)piperidin-1-yl)carbonylamino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(46) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(47) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

20 (48) N1-methyl-5-(2-((4-ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(49) N1-methyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(50) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (51) N1-methyl-5-(2-((4-(2-dimethylaminoacetyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (52) N1-methyl-5-(2-((4-cyclohexylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 5 (53) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (54) N1-methyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- 10 (55) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (56) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- 15 (57) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (58) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- 20 (59) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- 25 (60) N1-ethyl-5-(2-(((1-methyl-4-

piperidyl)methyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(61) N1-ethyl-5-(2-(((2-diethylamino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(62) N1-ethyl-5-(2-(((2-(morpholin-4-yl)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(63) N1-ethyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(64) N1-methyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(65) N1-ethyl-5-(2-(((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(66) N1-ethyl-5-(2-(((3-(morpholin-4-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(67) N1-ethyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(68) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

- (69) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- 5 (70) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (71) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- 10 (72) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (73) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- 15 (74) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (75) N1-phenyl-5-(2-((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 20 (76) N1-phenyl-5-(2-((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 25 (77) N1-ethyl-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-

indolecarboxamide;

(78) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;

5 (79) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(80) N1-ethyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(81) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;

(82) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;

(83) N1-ethyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(84) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(85) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(86) N1-cyclopropyl-5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(87) N4-(4-(1-(cyclopropylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;

(88) N1-cyclopropyl-5-(2-((pyrrolidin-1-

ylcarbonyl) amino)-4-pyridyl) oxy-1H-1-indolecarboxamide;

(89) N1-cyclopropyl-5-(2-(piperidin-1-ylcarbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

(90) N4-(4-(1-(cyclopentylamino) carbonyl-1H-5-indolyl) oxy-2-pyridyl)-4-morpholinecarboxamide;

(91) 5-(2-(((4-hydroxypiperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopentylamide;

(92) N1-cyclopentyl-5-(2-((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-1-indolecarboxamide;

(93) N1-(3-methylbutyl)-5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-1-indolecarboxamide;

(94) N1-(3-methylbutyl)-5-(2-((4-(hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

(95) N4-(4-(1-((3-methylbutyl) amino) carbonyl-1H-5-indolyl) oxy-2-pyridyl)-4-morpholinecarboxamide;

(96) N1-(1-ethylpropyl)-5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-1-indolecarboxamide;

(97) N1-(1-ethylpropyl)-5-(2-((4-hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

(98) N4-(4-(1-((1-ethylpropyl) amino) carbonyl-1H-5-

indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
 (99) N4-(4-(1-((1-pentyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
 (100) N1-(1-pentyl)-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
 5 (101) N1-(1-pentyl)-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
 10 (102) N1-methyl-3-chloro-5-(2-((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 (103) N1-methyl-3-chloro-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 15 (104) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 (105) N1-methyl-3-chloro-5-(2-((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 20 (106) N1-methyl-3-chloro-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 25 (107) N4-(4-(3-chloro-1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;

(108) N1-methyl-3-chloro-5-(2-((4-(ethylpiperazin-1-yl) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

(109) N1-ethyl-3-chloro-5-(2-((4-hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-

5 indolecarboxamide;

(110) N1-ethyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino) propyl) amino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

(111) N1-ethyl-3-chloro-5-(2-(((3-(diethylamino) propyl) amino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

10

(112) N1,3-dimethyl-5-(2-((4-hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

(113) N1,3-dimethyl-5-(2-((4-(pyrrolidin-1-yl) piperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

15

(114) N1-cyclopropyl-5-(2-((4-hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-3-methyl-1H-1-indolecarboxamide;

20

(115) N1-cyclopropyl-5-(2-((4-(2-hydroxyethyl) piperazin-1-yl) carbonyl) amino-4-pyridyl) oxy-3-methyl-1H-1-indolecarboxamide;

(116) N1-methyl-5-(2-((methylamino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

25

(117) N1-methyl-5-(2-((diethylamino) carbonyl) amino-4-

pyridyl)oxy-1H-1-indolecarboxamide;

(118) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(119) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(120) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(121) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(122) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(123) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(124) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(125) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and

(126) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

32. A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group

consisting of

- (1) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 5 (2) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 10 (4) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (5) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 15 (6) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (7) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 20 (8) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (9) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 25 (10) N1-methyl-5-(2-((4-

hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

(11) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

5 (12) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(13) 5-(2-(((4-(3-methylcarbamoylpropyl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(14) 5-(2-(((4-(3-carbamoylpropyl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(15) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-1-indolecarboxamide;

(16) N1-methyl-5-(2-(((4-(piperidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-1-indolecarboxamide;

20 (17) N1-methyl-5-(2-((3-methylsulfonylpropylamino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;

(18) N4-(4-(1-(methylamino) carbonyl-1H-5-indolyl) oxy-2-pyridyl)-4-morpholinecarboxamide;

25 (19) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy)-1H-1-

indolecarboxamide;

(20) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;

5 (21) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(22) N1-ethyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;

10 (23) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;

(24) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;

15 (25) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(26) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(27) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

20 (28) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(29) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

25 (30) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(31) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-

4-pyridyl)oxy-1H-1-indolecarboxamide;

(32) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

5 (33) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(34) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

10 (35) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and

(36) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

33. A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

20 (1) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(2) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

25 (3) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-

yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(4) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-

5 indolecarboxamide; and

(5) N4-(4-(1-(methylanino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide.

34. A pharmaceutical composition comprising a compound according to any of claims 1 to 33 and a
10 pharmaceutical adjuvant.

35. A prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective, comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or
15 a hydrate of the foregoing.

36. An angiogenesis inhibitor comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

20 37. An antitumor agent comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

38. An antitumor agent according to claim 37, wherein the tumor is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate
25 cancer, a lung cancer, a renal cancer, a brain tumor, a

blood cancer or an ovarian cancer.

39. A therapeutic agent for hemangioma comprising as an active ingredient , a compound according to any of claims 1 to 33, a salt thereof, or
5 a hydrate of the foregoing.

40. A cancer metastasis inhibitor comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

10 41. A therapeutic agent for retinal neovascularization or diabetic retinopathy comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

15 42. A therapeutic agent for an inflammatory disease comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

20 43. A therapeutic agent for an inflammatory disease according to claim 42, wherein the inflammatory disease is deformant arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.

25 44. A therapeutic agent for atherosclerosis comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

45. A prophylactic or therapeutic method for a disease for which angiogenesis inhibition is effective, comprising administering to a patient, a pharmacologically effective dose of a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

46. Use of a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing for the manufacture of a prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective.